

Refug 100 Component B

Page: 1 of 9 revised on: 14.11.23 replaces version: 03.11.20

SECTION 1 Designation of the substance or mixture and of the company

1.1 Product identifier

Product:

Trade name: Refug 100 Component B Not applicable for this mixture UFI:

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Relevant identified use: 2-component adhesive / filler / sealant

Uses advised against: No data available

1.3 Details of the supplier providing the safety data sheet

Manufacturer/supplier:

Company VIALIT ASPHALT GesmbH & Co KG Reiterstrasse 78 A - 5280 Braunau/Inn

Telephone: +43 (0)7722/62977 - 0

Fax: +43 (0)7722/65758

Laboratory department, telephone: +43 (0)7722/62977 - 44; Department providing information:

Qualitaet@vialit.at

This number is only manned during office hours.

1.4 Emergency information For Austria: Poisoning Information Centre, telephone: +43 (0)1/4064343

SECTION 2 Possible hazards

2.1 Classification according to Regulation 1272/2008/EG (CLP)

Information concerning particular hazards for humans:

The product is classified as harmless to humans.

Information concerning particular hazards for the environment:

The product is classified as non-hazardous to the environment.

H-sets: not applicable P-sets: not applicable

Other information

Full text of the codes, hazard statements and EU hazard statements in SECTION 16.

2.2 Labelling elements (Regulation 1272/2008/EC (CLP))

Labelling not applicable.



Product: **Refug 100 (B)**Page: 2 of 9
revised on: 14.11.23

revised on: 14.11.23 replaces version: 03.11.20

2.3 Other hazards

PBT: not applicable vPvB: not applicable

Endocrine disrupting properties: not applicable

SECTION 3 Composition/information on ingredients

3.1 Materials

Not applicable, product is a mixture

3.2 Mixture

Hazardous ingredients:

Ingredient	(REGULATION (EC) No 1272/2008)	CAS number EINECS number REACH registration number
≤ 3% ethylene glycol	Acute tox. 4; H302	107-21-1 203-473-3 -

SECTION 4 First-aid measures 4.1 Description of first aid measures

General information:

Always assess the safety of the accident site before attempting to rescue casualties and provide first aid.

After inhalation:

Not relevant

After contact with skin:

Clean with white spirit, then rinse with soap and water.

After contact with eyes:

Rinse with water for a few minutes with the eyelids open.

After ingestion:

Consult a doctor if symptoms persist.

Self-protection of the first aider:

No special instructions required.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Information on immediate medical assistance or specialised treatment

No information available



Product: **Refug 100 (B)**Page: 3 of 9

revised on: 14.11.23

replaces version: 03.11.20

SECTION 5 Firefighting measures

5.1 Extinguishing agent

Suitable extinguishing agents:

Foam, powder, water in spray jet

Unsuitable extinguishing agents:

Full water jet

5.2 Special hazards arising from the substance or mixture.

Carbon monoxide, carbon dioxide, nitrogen oxides and other hazardous decomposition products may be formed during combustion.

5.3 Instructions for firefighting

Special firefighting procedures:

No special procedures required.

Special protective equipment for firefighting:

Use self-contained breathing apparatus.

SECTION 6 Measures in the event of accidental release 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

Wear gloves to avoid contamination.

6.2 Environmental protection measures

Do not allow to enter waterways or drains.

6.3 Methods and material for retention and cleaning

Pick up with wet grit and dispose of.

Cleaning can be carried out with biodiesel or similar cleaning agents.

6.4 Reference to other sections

See Section 13 for information on disposal.

SECTION 7 Handling and storage

7.1 Protective measures for safe handling

Measures for preventing fires:

Keep away from direct sources of ignition.

Measures for preventing aerosol and dust formation:

Not relevant for this product.

Measures for protecting the environment:

Do not allow to enter waterways or drains.



Product: Refug 100 (B) Page: 4 of 9 revised on: 14.11.23

replaces version: 03.11.20

Advice on general hygiene in the workplace:

Keep away from food and drink, do not eat, drink or smoke while working; Wash hands before breaks and after work

7.2 Conditions for safe storage in consideration of incompatibilities

Technical measures and storage conditions:

Dry storage

Packaging materials:

Original container

Requirements for storage rooms and containers:

Keep material locked away.

Storage instructions:

No known intolerances.

Storage class:

10 according to VCI

Substances to be avoided:

Not relevant under normal storage conditions

Further information on storage conditions

Keep material well sealed.

7.3 Specific end uses

Specific use(s): 1.2; no further relevant information available.

SECTION 8 Exposure controls / personal protective equipment 8.1 Parameters to be monitored

Components with limit values that require monitoring at the workplace: Ethylene glycol.

MAK value list:

MAK 10 ml/ m^3 = 26 mg / m^3 ,

8.2 Exposure controls and monitoring

Suitable technical control equipment:

No special requirements

Personal protective equipment:

Eye protection: Not required

Skin protection:
Hand protection:
Respiratory protection:
Suitable work clothing
Safety gloves (Nitril)
Not required

Limitation and monitoring of environmental exposure:

Not applicable



Product: **Refug 100 (B)**Page: 5 of 9

revised on: 14.11.23

n/d

replaces version: 03.11.20

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Aggregate state viscous
Colour dark brown
Odour characteristic

Melting point/freezing point n/d Boiling point or start of boiling and boiling range > 190 °C Flammability yes Lower explosion limit n/a Upper explosion limit n/a > 100 °C Flash point Ignition temperature n/d Decomposition temperature n/a

Kinematic viscosity 1052 – 5263.2 mm²/s Solubility miscible with water

Partition coefficient n-octanol/water (log value)
Vapour pressure
Density and/or relative density

0.95 kg/m³

Relative vapour density n/d
Particle properties n/a

n/d = not determined n/a = not applicable

9.2 Other information

pH value

No further safety-relevant information available

SECTION 10 Stability and reactivity 10.1 Reactivity

No hazardous reactions are to be expected if used as intended.

10.2 Chemical stability

The product is stable under normal ambient conditions and under the temperature and pressure conditions to be expected during storage and handling.

10.3 Possibility of hazardous reactions

No hazardous reactions known if handled as directed.

10.4 Conditions to avoid

No conditions known to be avoided if handled as directed.

10.5 Incompatible materials

No incompatible materials known, if handled as directed.

10.6 Hazardous decomposition products

No hazardous decomposition products known, if handled as directed and moderately heated.



Product: Refug 100 (B) Page: 6 of 9 revised on: 14.11.23

replaces version: 03.11.20

SECTION 11 Toxicological information 11.1 Information on toxicological effects

Acute toxicity:

Based on available data, the classification criteria are not met.

Ethylene glycol: LD 50: 4700 mg/kg (rat, according to lit.)

Corrosive/irritant effect on the skin:

Based on available data, the classification criteria are not met.

Severe eye damage/irritation:

Based on available data, the classification criteria are not met.

Sensitisation of the respiratory tract/skin:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

Specific target organ toxicity at single exposure:

Based on available data, the classification criteria are not met.

Specific target organ toxicity with repeated exposure:

Based on available data, the classification criteria are not met.

Danger of aspiration:

Based on available data, the classification criteria are not met.

11.2 Further information:

The classification was carried out according to the calculation method of the Preparations Directive.

SECTION 12 Environmental information 12.1 Toxicity

No further relevant data available

12.2 Persistence and degradability

No further relevant data available

12.3 Bioaccumulative potential

No further relevant data available

12.4 Mobility in soil

No further relevant data available

12.5 Results of the PBT and vPvB assessment

No further relevant data available

12.6 Endocrine disrupting properties

No further relevant data available



Product: **Refug 100 (B)**Page: 7 of 9

revised on: 14.11.23

replaces version: 03.11.20

12.6 Other adverse effects

Water hazard class 1 (according to calculation rule for preparations AwSV)

SECTION 13 Notes on disposal

Product: Do not dispose of via household waste or sewer, hand over to a hazardous waste collector.

Packaging: Disposal in accordance with official regulations.

Waste code: ÖNORM 2100, code number 55 903

EN waste catalogue, 08 04 10

SECTION 14 Transport details

14.1 UN number

Not applicable.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard classes

Not applicable.

14.4 Packaging group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for the user

Not applicable.

14.7 Transport of bulk cargo by sea in accordance with IMO instruments

Not applicable.

SECTION 15 Legal regulations

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

REACH Regulation (EC) No. 1907/2006 as amended CLP Regulation (EC) No 1272/2008 as amended Water hazard class (Germany):WgK 1 (slightly hazardous to water)

15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this product.



Product: **Refug 100 (B)**Page: 8 of 9

revised on: 14.11.23

replaces version: 03.11.20

SECTION 16 Other information

The information is based on the current state of knowledge and experience. This data sheet describes products with regard to safety requirements. The information does not have the meaning of a guarantee of properties.

Clear indication of changes:

Changes to the previous version are marked with the asterisk * in the right-hand margin.

Abbreviations and acronyms

(Q)SAR = Quantitative structure-activity relationship

ADN = European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR = Agreement on the International Carriage of Dangerous Goods by Road

AGW = limit value for exposure at the workplace

ASTM = International Standards Institute

ATE = acute toxicity estimate

AwSV = Ordinance on Installations for Handling Substances Hazardous to Water

BCF = bioconcentration factor

BGW = biological limit value

CAS No. = Chemical Abstracts Service Number

CLP = classification, labelling and packaging

Classification, labelling and packaging

CMR = carcinogen, mutagen or reproductive toxin

CSA = chemical safety assessment

CSR = chemical safety report

DMEL = derived exposure level with minimal impairment

DNEL = derived exposure level without impairment

EC50 = The effective concentration of a substance that causes 50% of the maximum possible reaction.

EC number = EINECS and ELINCS number (see also EINECS and ELINCS)

EINECS = European Inventory of Existing Commercial Substances

EL50 = effective level 50%

IATA = International Air Transport Association

IC50 = inhibitory concentration 50%

ICAO-TI = Technical Instructions for the Carriage of Dangerous Goods by Air

IMDG = International Maritime Dangerous Goods Code

Kow = octanol-water partition coefficient

Koc = organic soil carbon to water partition coefficient

LC50 = lethal concentration for 50% of a test population

LD50 = lethal dose for 50% of a test population (median lethal dose)

LGK = storage class

LL50 = lethal load 50%

LOAEC = lowest concentration with observable adverse effect

LOAEL = lowest observed adverse effect level

MAK = maximum workplace concentration

NOAEC = concentration with no observable adverse effect

NOAEL = dose with no observable adverse effect

NOEC = highest exposure concentration of a substance without observed effects

NOEL = highest dose of a substance with no observed effects

OECD = Organisation for Economic Co-operation and Development

PBT = persistent, bioaccumulative and toxic substance

PEC = estimated effect concentration

PNEC = estimated no-effect concentration

RID = Regulations on the International Carriage of Dangerous Goods by Rail

QSAR = Quantitative/Qualitative Structure-Effect Relationship

SVHC = substances of very high concern

STEL = maximum workplace concentration (MAK) - short-term value

TLV = maximum workplace concentration (MAK)

TRGS = Technical Rules for Hazardous Substances

TWA = maximum workplace concentration (MAK) - daily average value

UVCB = substances with unknown or variable composition, complex reaction products and biological materials

VCI = German Chemical Industry Association

vPvB = very persistent and very bioaccumulative

Important literature references and data sources:

Information from our suppliers and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to prepare this safety data sheet.



Product: **Refug 100 (B)**Page: 9 of 9
revised on: 14.11.23

replaces version: 03.11.20

Methods used for product categorisation:

The classification for health, physico-chemical and environmental hazards was derived from a combination of calculation methods and, if available, test data.

Full text of the H & P phrases referred to in items 2 and 3:

_

Notes on training courses:

Workers must be regularly trained in the safe handling of the products based on the information in the safety data sheet and the local conditions of the workplace.

National regulations on the training of employees in the handling of hazardous substances must be observed.