

according to 1907/2006/EG, Article 31

Product:

Refug 2K Component B

Page: 1 of 9 revised on: 14.11.23 replaces version: 12.11.20

SECTION 1 Designation of the substance or mixture and of the company

1.1 Product identifier

Trade name:Refug 2K Component BUFI:Not applicable for this mixture

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Relevant identified use:2-component joint sealing compoundUses advised against: No data available

1.3 Details of the supplier providing the safety data sheet

Manufacturer/supplier: Company VIALIT ASPHALT GesmbH & Co KG Reiterstrasse 78 A - 5280 Braunau/ Inn

Telephone: +43 (0)7722/ 62977 - 0 Fax: +43 (0)7722/ 65758

Department providing information: Laboratory department, telephone: +43 (0)7722/ 62977 - 44; <u>Qualitaet@vialit.at</u> This number is only manned during office hours. **1.4 Emergency information** For Austria: Poisoning Information Centre, telephone: +43 (0)1/ 4064343

SECTION 2 Possible hazards 2.1 Classification according to Regulation 1272/2008/EG (CLP)

Information concerning particular hazards for humans: The product is classified as harmless to humans.

Information concerning particular hazards for the environment: The product is classified as non-hazardous to the environment.

H-sets: not applicable P-sets: not applicable

Other information

Full text of the codes, hazard statements and EU hazard statements in SECTION 16.

2.2 Labelling elements (Regulation 1272/2008/EC (CLP))

Labelling not applicable.



Product:

Refug 2K (B)

*

2.3 Other hazards

PBT: not applicable. vPvB: not applicable. Endocrine disrupting properties: not applicable

SECTION 3 Composition/ information on ingredients

3.1 Materials

Not applicable, product is a mixture

3.2 Mixture

Hazardous ingredients:

Ingredient	(REGULATION (EC) No 1272/2008)	CAS number EINECS number REACH registration number
≤ 4.5% fatty acids, C14-18 and C16- 18 unsaturated, potassium salts	Eye irrit. 2; H319	68002-80-2 268-094-8 -

SECTION 4 First-aid measures 4.1 Description of first aid measures

General information:

Always assess the safety of the accident site before attempting to rescue casualties and provide first aid.

After inhalation: Not relevant

After contact with skin: Rinse with soap and water.

After contact with eyes:

Rinse with water for a few minutes with the eyelids open.

After ingestion: Consult a doctor if symptoms persist.

Self-protection of the first aider: No special instructions required.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Information on immediate medical assistance or specialised treatment

No information available



SECTION 5 Firefighting measures

5.1 Extinguishing agent

Suitable extinguishing agents: Foam, powder, water in spray jet

Unsuitable extinguishing agents: Full water jet

5.2 Special hazards arising from the substance or mixture.

Carbon monoxide, carbon dioxide, nitrogen oxides and other hazardous decomposition products may be formed during combustion.

5.3 Instructions for firefighting

Special firefighting procedures: No special procedures required

Special protective equipment for firefighting: Use self-contained breathing apparatus.

SECTION 6 Measures in the event of accidental release 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

6.2 Environmental protection measures

Do not allow to enter waterways or drains.

6.3 Methods and material for retention and cleaning

Pick up with sand or sawdust and shear off. Can be cleaned with water before drying.

6.4 Reference to other sections

See Section 13 for information on disposal.

SECTION 7 Handling and storage 7.1 Protective measures for safe handling

Measures for preventing fires: Keep away from direct sources of ignition.

Measures for preventing aerosol and dust formation: Not relevant for this product.

Measures for protecting the environment: Do not allow to enter waterways or drains.

Advice on general hygiene in the workplace: Keep away from food and drink, do not eat, drink or smoke while working; Wash hands before breaks and after work



Product:

Page: 4 of 9 revised on: 14.11.23 replaces version: 12.11.20

7.2 Conditions for safe storage in consideration of incompatibilities

Technical measures and storage conditions: Protect from frost.

Refug 2K (B)

Packaging materials: Original container

Requirements for storage rooms and containers: Keep material closed, it hardens in the air.

Storage instructions: No known intolerances.

Storage class: 10 according to VCI

Substances to be avoided: Not relevant under normal storage conditions

Further information on storage conditions Keep material well sealed.

7.3 Specific end uses

Specific use(s): 1.2; no further relevant information available.

SECTION 8 Exposure controls / personal protective equipment 8.1 Parameters to be monitored

Components with limit values that require monitoring at the workplace: Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics

MAK value list: MAK 200 ml/m³

8.2 Exposure controls and monitoring

Suitable technical control equipment: No special requirements

Personal protective equipment:

Eye protection:	Not required
Skin protection:	Suitable work clothing
Hand protection:	Safety gloves (Nitril)
Respiratory protection:	Not required

Limitation and monitoring of environmental exposure: Not applicable



÷

SECTION 9 Physical and chemical properties 9.1 Information on basic physical and chemical properties

Aggregate state Colour Odour Melting point/freezing point Boiling point or start of boili Flammability Lower explosion limit Upper explosion limit Upper explosion limit Flash point Ignition temperature Decomposition temperature pH value Kinematic viscosity Solubility Partition coefficient n-octan Vapour pressure Density and/or relative dens Relative vapour density Particle properties	ng and boiling range	liquid beige characteristic n/d > 100 °C yes n/a n/a > 70 °C n/d n/a > 9 < 500 mm²/s partially miscible with water n/a n/a 1 kg/m³ n/d n/a
n/d = not determined	n/a = not applicable	

9.2 Other information

No further safety-relevant information available

SECTION 10 Stability and reactivity 10.1 Reactivity

No hazardous reactions are to be expected if used as intended.

10.2 Chemical stability

The product is stable under normal ambient conditions and under the temperature and pressure conditions to be expected during storage and handling.

10.3 Possibility of hazardous reactions

No hazardous reactions known if handled as directed.

10.4 Conditions to avoid

No conditions known to be avoided if handled as directed.

10.5 Incompatible materials

No incompatible materials known, if handled as directed.

10.6 Hazardous decomposition products

No hazardous decomposition products known, if handled as directed and moderately heated.



÷

SECTION 11 Toxicological information 11.1 Information on toxicological effects

Acute toxicity:

Based on available data, the classification criteria are not met.

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics

Acute oral:	LD50 (rat) Dose: > 2000 mg/kg
Acute inhalative:	LC50 vapour (rat) Dose: 4h > 5 mg/L
Acute dermal:	LD50 (rabbit)

mal: LD50 (rabbit) Dose: > 2000 mg/kg

Corrosive/irritant effect on the skin:

Based on available data, the classification criteria are not met.

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics

Prolonged skin contact may cause skin irritation and/or dermatitis.

Severe eye damage/irritation:

Based on available data, the classification criteria are not met.

Sensitisation of the respiratory tract/skin:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

Specific target organ toxicity at single exposure: Based on available data, the classification criteria are not met.

Specific target organ toxicity with repeated exposure: Based on available data, the classification criteria are not met.

Danger of aspiration:

Based on available data, the classification criteria are not met.

11.2 Further information:

The classification was carried out according to the calculation method of the Preparations Directive.



SECTION 12 Environmental information

12.1 Toxicity

No further relevant data available

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics

Toxicity to fish	≥ 100 mg/l
Toxicity to algae	≥ 100 mg/l

12.2 Persistence and degradability

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics:

100% (OECD Test Guideline 301F /28 d)

12.3 Bioaccumulative potential

No further relevant data available

12.4 Mobility in soil

No further relevant data available

12.5 Results of the PBT and vPvB assessment

No further relevant data available

12.6 Endocrine disrupting properties

No further relevant data available

12.6 Other adverse effects

Water hazard class 1 (according to calculation rule for preparations AwSV)

SECTION 13 Notes on disposal

Product: Do not dispose of via household waste or sewer, hand over to a hazardous waste collector.

Packaging: Disposal in accordance with official regulations.

Waste code: ÖNORM 2100, code number 57 702 EN waste catalogue: 08 04 12

SECTION 14 Transport details 14.1 UN number

Not applicable.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard classes

Not applicable.



Product: Refug 2K (B)

Page: 8 of 9 revised on: 14.11.23 replaces version: 12.11.20

14.4 Packaging group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for the user

Not applicable.

14.7 Transport of bulk cargo by sea in accordance with IMO instruments

Not applicable.

SECTION 15 Legal regulations

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

REACH Regulation (EC) No. 1907/2006 as amended CLP Regulation (EC) No 1272/2008 as amended Water hazard class (Germany):WgK 1 (slightly hazardous to water)

15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this product.

SECTION 16 Other information

The information is based on the current state of knowledge and experience. This data sheet describes products with regard to safety requirements. The information does not have the meaning of a guarantee of properties.

Clear indication of changes:

Changes to the previous version are marked with the asterisk * in the right-hand margin.

Abbreviations and acronyms

(Q)SAR = Quantitative structure-activity relationship ADN = European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR = Agreement on the International Carriage of Dangerous Goods by Road AGW = limit value for exposure at the workplace ASTM = International Standards Institute ATE = acute toxicity estimate AwSV = Ordinance on Installations for Handling Substances Hazardous to Water BCF = bioconcentration factor BGW = biological limit value CAS No. = Chemical Abstracts Service Number CLP = classification, labelling and packaging Classification, labelling and packaging CMR = carcinogen, mutagen or reproductive toxin CSA = chemical safety assessment CSR = chemical safety report DMEL = derived exposure level with minimal impairment DNEL = derived exposure level without impairment EC50 = The effective concentration of a substance that causes 50% of the maximum possible reaction. EC number = EINECS and ELINCS number (see also EINECS and ELINCS) EINECS = European Inventory of Existing Commercial Substances

EL50 = effective level 50%



Product: Refug 2K (B)

Page: 9 of 9 revised on: 14.11.23 replaces version: 12.11.20

IATA = International Air Transport Association IC50 = inhibitory concentration 50% ICAO-TI = Technical Instructions for the Carriage of Dangerous Goods by Air IMDG = International Maritime Dangerous Goods Code Kow = octanol-water partition coefficient Koc = organic soil carbon to water partition coefficient LC50 = lethal concentration for 50% of a test population LD50 = lethal dose for 50% of a test population (median lethal dose) LGK = storage class LL50 = lethal load 50% LOAEC = lowest concentration with observable adverse effect LOAEL = lowest observed adverse effect level MAK = maximum workplace concentration NOAEC = concentration with no observable adverse effect NOAEL = dose with no observable adverse effect NOEC = highest exposure concentration of a substance without observed effects NOEL = highest dose of a substance with no observed effects OECD = Organisation for Economic Co-operation and Development PBT = persistent, bioaccumulative and toxic substance PEC = estimated effect concentration PNEC = estimated no-effect concentration RID = Regulations on the International Carriage of Dangerous Goods by Rail QSAR = Quantitative/Qualitative Structure-Effect Relationship SVHC = substances of very high concern STEL = maximum workplace concentration (MAK) - short-term value TLV = maximum workplace concentration (MAK) TRGS = Technical Rules for Hazardous Substances TWA = maximum workplace concentration (MAK) - daily average value UVCB = substances with unknown or variable composition, complex reaction products and biological materials VCI = German Chemical Industry Association

vPvB = very persistent and very bioaccumulative

Important literature references and data sources:

Information from our suppliers and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to prepare this safety data sheet.

Methods used for product categorisation:

The classification for health, physico-chemical and environmental hazards was derived from a combination of calculation methods and, if available, test data.

Full text of the H & P phrases referred to in items 2 and 3:

-

Notes on training courses:

Workers must be regularly trained in the safe handling of the products based on the information in the safety data sheet and the local conditions of the workplace.

National regulations on the training of employees in the handling of hazardous substances must be observed.